

07/21/00

07-24-00

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

UTILITY PATENT APPLICATION TRANSMITTAL
UNDER 37 CFR 1.53(b)JC891 U.S. PRO
09/621400

07/21/00

Address to:

Assistant Commissioner for Patents

Box Patent Application

Washington, DC 20231

Attorney Docket No.

11283/11

Inventor(s)William DERE, and
Sue W. DERE**Express Mail Label No.**

EM180617905US

Total Pages

35

Title of Application:

METHOD AND APPARATUS FOR MANAGEMENT OF AN AUTOMATED LICENSE INSTALLATION

Transmitted with the patent application are the following:

- 1 Page(s) Transmittal form (and one copy)
23 Page(s) Cover Page (1); Specification (15), Claims (6), Abstract (1)
7 Page(s) Formal/Informal drawing(s)
2 Page(s) Declaration and Power of Attorney
2 Page(s) Recordation of Assignment and Assignment form
Page(s) Information Disclosure Statement (IDS) (copies of citations not included in number of pages)
Page(s) Certified copy of:
Page(s) Statement of Related Applications

This application is a Continuation / Continuation-in-Part / Divisional **of prior application Serial No.** **, filed** .**Fee calculation for large entity:**

	No. Filed		No. Extra	Rate	Fee
Basic Fee					\$690.00
Total Claims	38	-20	18	× 18.00	324.00
Independent Claims	5	-3	2	× 78.00	156.00
Multiple Dependent Claim				+ 260.00	
				Assignment	40.00
				Total	\$1210.00

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or arising during the pendency of this application per 37 CFR §1.16-1.21, or to credit any overpayments, to Deposit Account 11-0600.

Express Mail Certificate

I hereby certify that the above paper/fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated below and is addressed to the Assistant Commissioner for Patents, Washington, DC 20231


Date of deposit:

7/21/00

Person mailing paper/fee:

John J. Skinner, Jr.

Signature

John J. Skinner, Jr.
Reg. No. 42153**Respectfully submitted,**
John J. Skinner, Jr. (Reg. No. 42153)
Attorney for Applicant(s)

7/21/00

Kenyon & Kenyon
One Broadway, New York, NY 10004
(212) 425-7200 - Telephone
(212) 425-5288 - Facsimile

EM18061790545

92-27-90

DATE OF DEPOSIT

TYPE OF DOCUMENT

SERIAL NO.

FILING DATE

BORIS POLANCO

(SIGNATURE OF PERSON MAILING PAPER OR FEE)

Method and Apparatus For Management of An Automated License Installation

[illegible]

William Dere
Sue W. Dere

John J. Skinner, Jr.
Kenyon & Kenyon

River Ref. No.
2000.005

on & Kenyon Ref. No.
11283/11

NY01 297729 v 1

NY01 297729 v 1

A METHOD AND APPARATUS FOR MANAGEMENT
OF AN AUTOMATED LICENSE INSTALLATION

FIELD OF THE INVENTION

5 The present invention relates to improvements to a
method and apparatus for the management of an automated
license installation, and more particularly, to a method and
apparatus for an automated license daemon and database
interface in a three-tiered client server management system
10 allowing for automated license installation.

BACKGROUND INFORMATION

15 In many cases, before programs and/or applications
can be downloaded over the Internet by a user/client, that
user/client is often required to provide personal information
to allow a validation of sorts to use the program/application.
This is especially true where the program and/or application
is proprietary. Collection of such personal information, via
the Internet, telephone, or by some other means, often
20 requires manual entry of the information, with such manual
entry prone to errors.

25 Where the program/application is proprietary and a
license is required for its use, errors from manual entry of
data can cause disruptions and/or delays in the use of the
program/application. Correction of such disruptions and/or
delays must also be done manually, is time-consuming and often
cannot be done at night or on the weekends. Accordingly, such
disruptions and/or delays are injurious to licensor/licensee
30 business relations.

SUMMARY OF THE INVENTION

According to the present invention, both a method and an apparatus of/for managing an automated license installation for user computing equipment is provided.

5 According to the method of the present invention, at least one license installation option is provided to the user/client and license information of the user/client server is retrieved from a license database. The user/client server is queried on a configuration of the retrieved license information and the
10 retrieved license information is confirmed with the user/client server. Also according to the method of the present invention, a license file relating to the confirmed license information is installed. According to the apparatus of the present invention, a Setup program is provided which
15 resides on the user/client server. Also provided is an automated license Daemon program with which the Set-up program communicates, and a license database on which is stored license information and from which at least one license can be retrieved and then installed on the user/client server.

20 The present invention, including its features and advantages, will become more apparent from the following detailed description with reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

25 Figures 1, 2, 3, 4, 5 and 6 illustrate a flow chart of a Setup program incorporating code which allows a customer to configure and request licenses from an automated license Daemon, according to an embodiment of the present invention.

30 Figure 7 illustrates an apparatus by which a client may request and receive a license download through the Setup program from the automated license Daemon, according to an embodiment of the present invention.

DETAILED DESCRIPTION

Figures 1 through 7 show a method and apparatus for an automated license installation by which a Setup program residing on a user/client computing system connects to an automated license Daemon and database residing on a program/application download server. It is to be understood, of course, that the Setup program may be programmed in any computer language such as, for instance, C, C++, and TCL.

According to the present invention, the Setup program uses a web server tunneling agent to directly connect through a bi-directional socket connection with a program/application download server without the use of a web browser or the need to go through a third-party server. HTTP tunneling is well-known in the art, and allows messages and web pages to be passed back and forth through a dedicated Internet server port. A direct socket connection through the use of HTTP tunneling allows a customer to configure downloading based on a data store that is in an Enterprise Resource Planning (ERP) system. Further, a user is able to use a set-up graphical user interface to configure and receive an ERP generated license file that is tied to the current host, or a license file that allows the host to serve "floating" licenses.

The Setup program incorporates a code to unlock and install programs/applications from a CD ROM or other media, or to request programs/applications from the program/application download server. The program/application download server includes, in this case, an automated license Daemon. Upon a bi-direction socket connection through the HTTP tunneling operation, a request is sent and validated by a connected license database. Upon receipt of the license download request and validation, the Setup program residing upon the user/client computing system will receive a license file (i.e., a license to run/use a corresponding software application), and a new configuration is then entered into the

ERP database.

The Setup program acts as a client program which sends user information (e.g., such as user name, company name, license(s) assigned, hostName, host ID, etc.) to the program/application download server and receives back items (e.g., such as error message(s), license file, etc.). The automated license Daemon, on the other hand, is a multi-threaded program running continuously on the program/application download server, in a fashion that is bootstrapped to the server so that the Daemon runs whenever the server re-boots. The automated license Daemon is responsible for, among other things: receiving a request type from the Setup program; forwarding that request type to the appropriate handler threads; sending filtered information in the form of SQL queries to the license database; receiving a license file or error codes from the license database (after validation); sending the license file to the Setup program; and sending an error message to the Setup program if validation fails.

Referring now to Figure 1, a user wishing to utilize the automated license installation will start the Setup program on the user/client's computing system and in step 5 will see the welcome screen of the Setup program. In step 10, the Setup program will offer the user three license management installment options. The first option is a full installation option, the second option is a program group installation, and the third option is a floating license server installation option.

Should the user decide to choose either the full installation option or the program group option, in step 15 license management options are presented. In this step the user will be given the option to configure license management for a single end-user on a network or to configure license management for a node-locked license use. Configuration for the single-end user on the network would allow a local server

(i.e. at the customer site) to distribute the appropriate licensed software, while configuration for a node-locked license would indicate restriction to one machine without a network.

5

Referring now to Figure 2, if the user chooses to configure license management for a single end user on a network, the code to determine the contents of the license management license file variable (e.g., LM_LICENSE_FILE) is entered. In step 20 then, the user is prompted for permission to query the license database. In this step, the user is being asked whether to allow the Setup program to query the program/application download server to obtain license information regarding the user's computing equipment. If in step 25 the user does not wish to allow the Setup program to conduct such a query, in step 30 the license management application will exit. Additional instructions can be given to check with a system administrator to obtain the user's server host and port number being used so that the appropriate license management license file variable can be set to the proper setting. If, however, in step 25 the user allows the Setup program to query the program/ application download server, in step 35 the Setup program queries the license database to get all authorized local server hosts (e.g., more than one server may be involved as more than one project utilizing licensed software may be involved). As shown in this figure, such query is made of the license database, which returns license configuration information such as host ID's, port numbers, host names, products licensed, licenses used, etc., that is stored in the database.

25

30

35

Upon retrieval from the license database of the pertinent information, in step 40 the Setup program runs a license management configuration page. Configuration consists of a list box displaying available hosts and license details, and allows the user to control adding and/or removing of hosts. In step 45, the license management diagnostic program

(lmdiag) is run on the selected host. If the license management diagnostic program fails in step 50, a dialog box presents that Setup has detected that a license management daemon is not running on the selected host, and the Setup program returns to the license management configuration as in step 40. If, on the other hand, the license management diagnostic program run of step 45 is okay, in step 55 a determination of the type of host of the selected host is conducted. If the current host is determined to be a Windows® type host, in step 60 license management registration begins. The Setup program then writes the license information into the Windows® registry of the selected host as is accomplished in step 65. Upon accomplishment of writing license information to the registry, or upon a determination that the current host is a Unix® type host, in step 70 license management is finished. The user is presented with a message that license management has been successfully configured. On Unix® hosts, a message reminds the user to set the license management license file environment variable (e.g., LM_LICENSE_FILE), while on Windows® hosts, the license management license file environment variable is set in the Windows® registry. The program then exits. It is to be understood, of course, that the host types utilized herein are exemplary, and that other types of hosts may be utilized, such as Linux®, Mac®, etc..

Referring back to Figure 1, if in step 15, however, the user chose the license management option of a node locked variety, in step 75 it is determined whether or not an outside connection over the Internet exists. If no outside Internet connection exists, an error message is presented and the Setup program exists. Alternatively, if an outside Internet connection is determined to exist, in step 80 the Setup program asks for permission to conduct a database query. In this case, the Setup program is asking the user to allow the Setup program to query the program/application download server to obtain license information for the user's equipment in step 85. If the user does not allow such a query, in step 90 the

license management application exits according to an exit menu. Such an exit menu may include an instruction to manually contact the program/application download server license administrator(s) to obtain the correct license file.

5 If the user does allow such a query, the licence management application continues as shown in Figure 5, which steps will be described in more detail further below.

Continuing, however, with a description of the Setup
10 program in Figure 1, if, after the welcome screen in step 5, the user chooses in step 10 the floating license server installation option, in step 95 a determination as to whether flexible license management software (e.g., FlexLM®) is installed is made. If the flexible license management
15 software is not installed, in step 100 a license management utility installation occurs. The user is queried as to the destination directory into which the Setup program should install the flexible license management software files onto the local host. Upon determination of the directory by the
20 user in step 105 the license management application files are copied into the destination directory.

Upon installation of the flexible license management software, or if in the case that the flexible license
25 management software was pre-installed, in step 110 a determination as to whether the license file exists is made.

Referring now to Figure 3, if the license file exists, in step 115 a determination is made as to whether the
30 license file is valid. That is, a determination is made as to whether or not the license file needs to be updated. If the license file is not valid, in step 120 a license management dialog box is created in which the user is informed that the license file is invalid and is asked whether the user would
35 prefer to replace it in step 125. If the user does not wish to replace the license file, the program exits. If the user does in fact wish to replace the license file the Setup

program continues with the application as if the license file had not existed, as will be described in further detail below in reference to Figure 4.

5 Alternatively, in step 115, if the license file is determined to be valid, in step 130 current license information is checked. Here the Setup program will detect whether a floating and/or node locked license is installed on the user equipment. Such information will be presented to the user, and the user will be asked whether or not to update or
10 reload the license in step 135. If the user does not wish to update/reload the license file, the program exits. If, as before, the user chooses to update the license file, programming continues as if there was no license file uploaded
15 on the server.

Referring now to Figure 4, in the instance where there is no license file located on the server (as determined in step 110 of Figure 1) or the user desires to update/reload
20 and/or replace the license file (as determined in steps 125 and 135, respectively, of Figure 3), in step 140 the Setup program presents the license management installation options to the user. These options consist of an automatic installation, an e-mail installation, and/or a manual
25 installation option. If the user chooses either an e-mail and/or manual installation option, in step 145 the Setup program presents the user with setup pages for e-mail and/or manual installation. If, however, the user chooses the automatic installation option, in step 150 the Setup program
30 requests permission from the user for a database query. Thus the user is asked to allow the Setup program to query the program/application download server to request a license file for the host in step 155. If the user chooses not to allow the Setup program to query the server, the Setup program
35 returns to step 140 and defaults to the e-mail installation option of the license management installation options.

If, on the other hand, the user gives permission to allow such query of the database, in step 160 a series of steps are conducted, as shown in Figure 5, to retrieve and install the license file from the program/application download server. As mentioned above in regard to step 85 of Figure 1, such installation steps of the license file also occur in response to an affirmative answer with respect to a permission query to allow the Setup program to query the database.

Accordingly, referring now to Figure 5, the procedure for the Setup program to retrieve and install a license file from the program/application download server is shown. In step 165 a determination of whether a pin number is required for security is made. If a pin number is required, in step 170 the user is presented with a dialog box requesting the pin number to configure the license management installation. If no pin number is entered, or the user desires to cancel, the Setup program exists. If, however, a pin number is entered in step 175, a determination of whether the pin number is valid is made. If in step 180 it is determined that the pin number is invalid, the user is presented with a dialog box stating that the pin number is invalid and to please re-enter the pin number again, as the Setup program returns to step 170.

If it is determined in step 175 that the pin number is valid or if it is determined in step 165 that a pin number is not required, in step 185 the Setup program queries the license database to get the license information for the computing equipment running the setup program. This consists of sending a host ID, customer license number, other relevant data, and a request code to the license database. The program/application download server either returns an error message to the Setup program or returns the license information.

If the license information is returned, in step 190

a license configuration entry form, either for floating or node locked license management software configuration modes is displayed for the user to fill out. The license configuration entry form consists of a display of the available license products, the number of licenses available, the number of licenses currently residing on the host equipment and an edit box for any license requests. In step 195, license confirmation occurs. License confirmation consists of displaying a summary of the license configuration requested by the user and how many licenses for each product is to be allocated for this machine. In step 200, the updating of the license database to obtain the license file occurs. This consists of sending license information to the license database and returning a license file. Accordingly, in step 205 the license file is installed to the appropriate location in the user/client computing system.

Referring back to Figure 4, the Setup program, having retrieved and installed the appropriate license file from the program/application download server and license database, in step 210 determines the type of host that the current host is. If it is determined that the current host is a Windows® type host, in step 215 license management startup is conducted. The license management Daemon may start as a service, a startup group, and/or a manual startup. In step 220, the appropriate registry variable is set. Upon proper setting of the file in the registry, or if the current host is determined to be a Unix® type host, in step 225 the license management finishes. In this case, a dialog box is presented to the user that states that the license management installation has been completed successfully and requests the setting of the license management license file path.

The user has now been provided with the opportunity to retrieve, install, and successfully set up a license from the program/application download server and license database. Having completed the foregoing steps, dependent upon the

initial installation option, the user may utilize the licensed program.

Referring now to Figure 6, the error handling facility that is embedded as a library within a license managed application program is shown. Thus, when a licensed application encounters a license management error, or the Setup program application detects a license management error, an error processing operation occurs. If an error is determined to have occurred, in step 300 a determination of whether the error can be corrected by the Setup program is conducted. If the error cannot be corrected by the Setup program, in step 305 the user is presented with a dialog box stating that the current application is unable to obtain a license and identifying the particular error. The user is further instructed to contact the license administration at a particular address and/or phone number. Accordingly, the Setup program/licensed application will then exit.

If it is determined that the error can be corrected by the Setup program, the Setup program is invoked and run. In step 310 a determination of whether a floating license has been and/or is installed is determined. If it is determined that installation is a floating license server problem (e.g., there is no server running or a license file is not installed) or an invalid node locked license installation, in step 315 a dialog box is presented to the user stating that the current application is once again unable to obtain a license and identifying the particular error. Once again, as in step 305, the user is instructed to contact their own system administrator. The Setup program will then exit.

If it is determined in step 310 that the license is a floating license and that the license installation is one of an end user, in step 320 a dialog box is presented to the user stating that the current application is unable to obtain a license and that the error is (whatever the error determined

to be). The user is further requested as to whether the user would like to configure the license management now. If not, the Setup program exists. If so, processing continues in step 20 as shown in Figure 2.

5

Referring to Figure 7, a system using the automated license management Daemon and license database interface within the automated license management installation process is shown. A Setup program 700 resides on a user/client computer system 705. The Setup program communicates through network 710 (e.g., the Internet/World-Wide-Web) to the program/ application download server 740 by means of a post request to the appropriate web-server tunneling agent.

10

15

Such request is sent through the network 710 and through a corporate firewall 720 to a port 730. Port 730 is a port specifically reserved for HTTP protocol requests and responses. Firewall 720 filters all requests except through ports handling HTTP and FTP protocol message traffic.

20

The Setup program post request is passed through a corporate Intranet 745 to the various corresponding components of the program/application download server 740. These components consist of the license management Daemon 750, the license installation database 760, a corporate database 770 (which may, for example, correspond to an Oracle® or Olympus® database) and various CGI tunneling agents 780. The license management Daemon 750 formats the Setup program's 700 request to the license installation database 760. An application of database 760 then handles the request from the license management Daemon 750 and returns the appropriate reply. It is to be understood, of course, that the various components of server 740 are not restricted to residing solely on the server and may in fact reside elsewhere (e.g., on other serves or as stand-alone components).

25

30

35

As access to the license installation database 760

by the Setup program 700 is in effect direct, the program can make changes to the license installation database 760. On the other hand, however, changes to the corporate database 770 are made manually by sales, license, and key administrators. For system integrity, the changes in each database must be synchronized in the other such that transactions made on either one are replicated in the other, and that manual changes to the corporate database 770 itself are reflected back to the license installation database 760.

As modifications can be made to the license management configuration in either the automated license installation database 760 or the corporate database 770, information in the two databases 760, 770 is kept consistent with each other through a synchronization strategy. Such database synchronization strategy includes: a conflict detection and conflict resolution methodology using a time stamp sequencing; validation as a prerequisite to any license database update; a proactive notification process; a matchback methodology to each synchronization source using an identical unique ID value of the system; and a second chance logic methodology. The component of the database synchronization strategy that utilizes the matchback methodology to each synchronization source utilizing the same unique ID value of the system operates, for instance, utilizing a field identifier in which any update made in a license record that exists in both the license installation database and corporate database, will ensure that a change is entered into the correct row in each database. A change/transaction is passed between the databases utilizing the field ID value to access the record. For example, a matchback methodology utilizing a unique ID in the case where a table in the corporate database (e.g., a "wrslp_license_keys" table) is done through an accompanying identification field (e.g., a "wrslp_license_key" ID field). An update in this example is passed utilizing the ID value to access the record.

Alternatively, a matchback methodology in an insert situation in which there are independent ID's to access a record uniquely in all systems involved means there is no co-dependency from ID assignment. That is, if the "wrslp_5 license_key" ID were the unique ID used in both databases, every insert situation would require that the inserting database retrieved the next value from a pool common to both databases. Moreover, at synchronization time, there could be the risk of a duplicate ID error.

10 The second chance logic component of the database logic component of the database synchronization strategy is triggered when the update to the site fails because of an error other than a data error. A connection failure would15 cause second chance logic to kick in. This facility writes out a transaction to be used in re-submission of the modification. During the re-submission time-stamp sequencing logic is used to determine if the transaction should be allowed to go through or be inactivated and flagged for20 administrators' attention.

With respect to the exemplary embodiment according to the present invention, a user/client now has the ability to directly access a program/application download server through25 HTTP tunneling without recourse of a third party web server and use of a web browser. Accordingly, such communication and downloading is far more timely and secure.

30 In the foregoing description, the method and apparatus of the present invention have been described with reference to a number of examples that are not to be considered limiting. Rather, it is to be understood and expected that variations in the principles of the method and apparatus herein disclosed may be made by one skilled in the35 art and it is intended that such modifications, changes, and/or substitutions are to be included within the scope of the present invention as set forth in the appended claims.

The specification and the drawings are accordingly to be regarded in an illustrative rather than in a restrictive sense.

OFFICE OF THE ATTORNEY GENERAL

What Is Claimed Is:

1. A method of managing an automated license installation on a user/client server, the method comprising the steps of:
 - providing at least one license installation option to the user/client server;
 - retrieving license information of the user/client server from a license database;
 - querying the user/client server on a configuration of the retrieved license information;
 - confirming the retrieved license information with the user/client server; and
 - installing a license file relating to the confirmed license information.
2. The method according to claim 1, further comprising the step of:
 - requiring an entry of a valid PIN number.
3. The method according to claim 1, further comprising the step of:
 - requiring an affirmative permission of the user/client server before retrieval of license information from the license database.
4. The method according to claim 1, further comprising the step of:
 - determining whether a flexible license management utility software is installed on the user/client server.
5. The method according to claim 5, further comprising the step of:
 - if the flexible license management utility software is determined as not being installed on the user/client server,
 - installing the flexible license management utility software on the user/client server.

6. The method according to claim 1, further comprising the step of:

updating the license database.

7. The method according to claim 1, wherein the at least one license installation option includes at least one of:

a full license installation;
a program group installation; and
a floating license installation.

8. The method according to claim 1, wherein the at least one license installation option includes at least one of:

an automatic installation;
an e-mail installation; and
a manual installation.

9. The method according to claim 1, further comprising the step of:

determining an operating system of the user/client server.

10. The method according to claim 9, further comprising the step of:

configuring the operating system of the user/client server for the automated license installation.

11. The method according to claim 1, further comprising the steps of:

determining whether the installed license file is valid; and

performing one of an updating operation and a replacement operation with respect to the license file.

12. The method according to claim 11, further comprising the step of:

querying the user/client server on whether one of the updating operation and the replacement operation is to be

performed with respect to the license file.

13. The method according to claim 1, further comprising the step of:

determining if an outside connection exists to the user/client server.

14. The method according to claim 1, further comprising the step of:

running a license management diagnostic program on the user/client server.

15. The method according to claim 1, further comprising the step of:

generating an error message.

16. The method according to claim 1, further comprising the step of:

exiting the automated license installation.

17. A system for managing an automated license installation on a user/client server:

a Setup program which resides on the user/client server;

an automated license Daemon program with which the Set-up program communicates; and

a license database on which is stored license information and from which at least one license can be retrieved and then installed on the user/client server.

18. The system according to claim 17, wherein retrieval of the at least one license is by the automated license Daemon program.

19. The system according to claim 17, wherein the automated license Daemon program resides on a program/ application download server.

20. The system according to claim 17, wherein the Setup program sends user/client server information to the automated license Daemon program.

21. The system according to claim 17, wherein the Setup program receives at least one of license files and error messages from the automated license Daemon program.

22. The system according to claim 17, wherein an installation of the at least one license on the user/client server is performed by the Setup program.

23. The system according to claim 17, wherein the Setup program communicates to the automated license Daemon program via an HTTP tunneling operation which establishes a bi-directional socket connection.

24. The system according to claim 17, further comprising:
a database on which resides a master copy of customer licenses from which an extract is made and becomes the source for the license database.

25. The system according to claim 24, wherein the information on the database and the license database are updated independently and then synchronized.

26. A method of automatically installing a license, the method comprising the steps of:

communicating user/client information to a program/application download server;

confirming license information obtained from the program/application download server regarding the user/client;

receiving the license from the program/application download server; and

installing the license received from the program/application download server.

27. The method according to claim 26, further comprising the step of:

obtaining license information regarding a client/user.

28. The method according to claim 27, wherein the step of obtaining the license information includes the step of obtaining the license information through a bi-directional socket connection established by an HTTP tunneling operation.

29. The method according to claim 27, wherein the license information is obtained from a license database.

30. The method according to claim 26, further comprising the step of:

updating the license information.

31. The method according to claim 26, further comprising the step of:

providing at least one license installation option to the user/client.

32. The method according to claim 26, further comprising the step of:

sending a PIN number to the program/application download server for validation.

33. A system for automatically installing a license, the apparatus comprising:

a user/client server at which the license is to be installed;

a program/application download server with which the user/client server communicates; and

a license database at which the license is stored, wherein based upon a user/client server communication with the program/application download server, the program/application download server retrieves the license from the

license database and sends the license to the user/client server for installation.

34. The system according to claim 33, further comprising:
a Setup program which resides on the user/client server and which manages installation of the license on the user/client server.

35. The system according to claim 33, further comprising:
a Setup program which resides on the user/client server and which sends user/client server information to the program/application download server.

36. The system according to claim 33, further comprising:
a corporate database containing information which is a master copy of customer licenses from which an extract is made and becomes the source for the license database.

37. The system according to claim 36, wherein the license database and the corporate database are synchronized.

38. A medium for storing information to cause a processing device to perform the steps of:

obtaining at least one license installation option;
retrieving license information from a license database;

obtaining information relating to a configuration of the retrieved license information;

confirming the retrieved license information; and
installing a license file relating to the confirmed license information.

ABSTRACT

A method and apparatus for management of an automated license installation is presented. An automated license daemon runs on a server waiting for transmissions/connections from a client-based Setup program. The Setup program utilizes a tunneling agent to make a socket connection with the automated license daemon. Upon such transmission/connection, the automated license daemon begins a thread for each license request, each thread creating a number of SQL queries with information that is received from the Setup program. These SQL queries are sent to an automated license management database for validation. After validation, a license file is returned from the automated license database to the automated license daemon and then back to the Setup program client.




FIG. 1




FIG. 2

Server, license file exists





FIG. 3



Request a
license file

Server, no license file




FIG. 4

Get and install
license file from
WRS

D




FIG 5




FIG. 6




FIG. 7

PATENT**Docket No. 11283/11****DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter that is claimed and for which a patent is sought on the invention entitled:

METHOD AND APPARATUS FOR MANAGEMENT OF AN AUTOMATED LICENSE INSTALLATION

the specification of which is attached hereto, unless the following is entered:

was filed on	as United States Application Number or PCT International Application Number	and was amended on (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

PRIOR FOREIGN APPLICATION(S)

I hereby claim foreign priority benefits under 35 USC §119(a-d) or §365(b), of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application(s) for patent or inventor's certificate, or PCT International application, having a filing date before that of the application on which priority is claimed:

Application Number	Country	Filing Date (day/month/year)	Priority Not Claimed

PROVISIONAL APPLICATION(S)

I hereby claim the benefit under 35 USC §119(e) of any United States provisional application(s) listed below:

Application Number	Filing Date

PRIOR UNITED STATES APPLICATION(S)

I hereby claim the benefit under 35 USC §120 of any United States application(s), or §365(a) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 USC §112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

Application Number	Filing Date	Status (patented, pending, abandoned)

POWER OF ATTORNEY

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Joseph R. Palmieri (Reg. No. 40,760), Felix L. D'Arenzo, Jr. (Reg. No. 27,831), AND


Paul H. Heller (Reg. No. 21,074), Dennis Magliaro (Reg. No. 41,172) and John J. Skinner, Jr. (Reg. No. 42,153) of KENYON & KENYON, One Broadway, New York, NY 10004 Tel: (212) 425-7200


EM10861790545

PATENT


Docket No. 11283/11

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION (Cont.)

Direct telephone calls to: John J. Skinner, Jr. (212) 908-8498		Send correspondence to: KENYON & KENYON One Broadway New York, NY 10004	
I hereby declare that all statements made herein of my own knowledge are true and all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code and that such willful statements may jeopardize the validity of the application or any patent issuing thereon.			
Full name of first or sole inventor	Last Name Dere	First Name William	Middle Name
Residence:	City Alameda	State or Country U.S.A.	Country of Citizenship U.S.A.
Post Office Address:	Street 2051 Sandcreek Way	City Alameda	State or Country & Zip Code California, CA 94501
Signature 		Date 7/21/00	

Full name of first or sole inventor	Last Name Dere	First Name Sue	Middle Name W.
Residence:	City Alameda	State or Country U.S.A.	Country of Citizenship U.S.A.
Post Office Address:	Street 2051 Sandcreek Way	City Alameda	State or Country & Zip Code California, CA 94501
Signature 		Date 7/21/00	

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) _____ of _____ were not present:
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present:
for scanning. (Document title)

☒ Scanned copy is best available.

Declaration